

# APPLICATION UNDER UNITED STATES PATENT LAWS

Atty. Dkt. No. PW 279135  
(M#)

Invention: **PLAYBACK APPARATUS AND METHOD OF TIMELY PLAYING BACK A RECORDED PROGRAM**

Inventor (s): **Masaru TAKAHASHI**

Pillsbury Winthrop LLP  
Intellectual Property Group  
1100 New York Avenue, NW  
Ninth Floor  
Washington, DC 20005-3918  
Attorneys  
Telephone: (202) 861-3000

This is a:

- ☐ Provisional Application
- ☒ Regular Utility Application
- ☐ Continuing Application
  - ☒ The contents of the parent are incorporated by reference
- ☐ PCT National Phase Application
- ☐ Design Application
- ☐ Reissue Application
- ☐ Plant Application
- ☐ Substitute Specification
  - Sub. Spec Filed \_\_\_\_\_
  - in App. No. \_\_\_\_\_ / \_\_\_\_\_
- ☐ Marked up Specification re
  - Sub. Spec. filed \_\_\_\_\_
  - In App. No \_\_\_\_\_ / \_\_\_\_\_

## SPECIFICATION

# TITLE OF THE INVENTION

PLAYBACK APPARATUS AND METHOD OF TIMELY PLAYING BACK  
A RECORDED PROGRAM

## CROSS-REFERENCE TO RELATED APPLICATIONS

5           This application is based upon and claims the  
benefit of priority from the prior Japanese Patent  
Application No. 2000-364505, filed November 30, 2000,  
the entire contents of which are incorporated herein by  
reference.

## 10           BACKGROUND OF THE INVENTION

The present invention relates to a playback method  
and apparatus for playing back a recorded program.

          In recent years, a lot of programs can be watched  
by ground wave broadcast, BS, CS, and the like. The  
15          number of channels is expected to further increase in  
the future as digital broadcast becomes more popular.  
This is all in preparation for an environment where  
a user can select any program of his/her taste from  
diverse channels.

20          However, programs are not always timely offered to  
users by the above. That is, a program desired by  
a user is not always broadcast at the time of his/her  
choice. The desired program must be recorded in  
advance and played back at a desired timing. However,  
25          when an enormous number of programs are recorded, it is  
sometimes difficult to determine the order to watch  
the recorded programs.

Jpn. Pat. Appln. KOKAI Publication No. 11-345446  
discloses an automatic recording method of  
automatically learning the taste of a user and  
automatically reserving recording of programs of the  
5 taste. However, it does not solve the above problem.

Jpn. Pat. Appln. KOKAI Publication No. 2000-48029  
discloses a recording/playback method capable of easily  
searching for a timely program for a user and  
recording/playback the program. However, the technique  
10 disclosed in this prior art still does not solve the  
above problem.

#### BRIEF SUMMARY OF THE INVENTION

The present invention has been made to solve  
the above problem, and has as its object to provide  
15 a playback apparatus and method capable of timely  
playing back a recorded program.

In order to solve the above problem and achieve  
the above object, a playback apparatus and method of  
the present invention have the following arrangements.

20 (1) A playback apparatus of the present invention  
comprises reserve means for recording a plurality of  
desired programs on a recording medium and reserving in  
advance a playback order of the plurality of recorded  
programs, creation means for creating a user original  
25 program guide on the basis of the playback order  
reserved by the reserve means, and playback means for  
playing back the plurality of recorded programs in

an order based on the program guide.

(2) A playback method of the present invention comprises the first step of reserving in advance a playback order of a plurality of recorded programs, the second step of creating a user original program guide on the basis of the playback order reserved in the first step, and the third step of playing back the plurality of recorded programs in an order based on the program guide created in the second step.

Additional objects and advantages of the invention will be set forth in the description which follows, and in part will be obvious from the description, or may be learned by practice of the invention. The objects and advantages of the invention may be realized and obtained by means of the instrumentalities and combinations particularly pointed out hereinafter.

#### BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

The accompanying drawings, which are incorporated in and constitute a part of the specification, illustrate presently preferred embodiments of the invention, and together with the general description given above and the detailed description of the preferred embodiments given below, serve to explain the principles of the invention.

FIG. 1 is a block diagram showing a playback apparatus (a recording/playback apparatus) of the present invention;

FIG. 2 is a flow chart showing program reserve processing;

FIG. 3 is a table showing a program reserve window when "no automatic playback" is selected;

5        FIG. 4 is a table showing a program reserve window when "automatic playback" is selected;

FIG. 5 is a flow chart showing reserved recording processing;

10       FIG. 6 is a flow chart showing playback processing;

FIG. 7 is a view showing an EPG in which a user original EPG and an EPG corresponding to current broadcast are parallely displayed; and

15       FIG. 8 is a flow chart showing reserve processing with automatic re-formation.

#### DETAILED DESCRIPTION OF THE INVENTION

The embodiment of the present invention will be described below with reference to the accompanying drawing.

20       FIG. 1 is a block diagram showing a playback apparatus (a recording/playback apparatus) of the present invention. This playback apparatus can receive program broadcast, record the received program broadcast, or play back the received program broadcast.

25       As shown in FIG. 1, the playback apparatus comprises an input section 1, tuner 2, decoder 3, memory 4, output control section 5, HDD (Hard Disk Drive) 6,

CPU (Central Processing Unit) 7, graphic processing section 8, output section 9, display section 10, and operation section 11. Note that the tuner 2, HDD 6, and display section 10 are not always indispensable components and may be externally attached to the playback apparatus of the present invention. In this case, the playback apparatus of the present invention has a connection terminal to the tuner 2 and a connection terminal to the HDD 6.

A broadcast signal received by an antenna is input to the input section 1. This broadcast signal contains a video signal and audio signal corresponding to each program. Program information is superposed on the video and audio signals. The program information contains channel identification information representing a channel number and channel name, program identification information representing a program title, program broadcast day information representing a program broadcast day, program broadcast start time information representing a program broadcast start time, program broadcast end time information representing a program broadcast end time, length information representing the length of the broadcast time of the program broadcast.

The HDD 6 stores desired program data extracted from the broadcast signal input from the input section 1 through the tuner 2. The decoder 3 decodes

the program broadcast input from the input section 1. The output control section 5 controls output of the program broadcast decoded by the decoder 3 and causes the display section 10 to display the program broadcast through the output section 9. The memory 4 stores, e.g., program reserve information. The CPU 7 controls the entire playback apparatus. The graphic processing section 8 creates an EPG (Electronic Program Guide) corresponding to broadcast on the basis of the above program information. The EPG created by the graphic processing section 8 is displayed on the display section 10 through the output section 9 under the output control by the output control section 5. The operation section 11 is, e.g., a remote controller. The operation section 11 has various keys for receiving various input operations. For example, a recording reserve key 11a, playback reserve key 11b, playback mode selection key 11c, playback start time setting key 11d, playback start key 11e, and EPG display key 11f are prepared.

Program reserve processing will be described next with reference to FIGS. 2 to 4. FIG. 2 is a flow chart showing program reserve processing. FIGS. 3 and 4 are tables showing program reserve windows. In correspondence with program reserve operation received through the recording reserve key 11a of the operation section 11, a program reserve window is

displayed on the display section 10, and recording of  
a desired program is reserved (ST11). For example,  
assume that recording of a plurality of programs  
is reserved. If playback reserve is not to be done  
5 (NO in ST12), the program reserve processing is ended.  
If playback reserve is to be done (YES in ST12), the  
playback order of recording-reserved programs, i.e.,  
programs which will be recorded later is set in  
correspondence with playback order setting operation  
10 received through the playback reserve key 11b of  
the operation section 11 (ST13). At this time, items  
for selecting "automatic playback (automatic playback  
mode)" or "no automatic playback (manual playback  
mode)" are displayed on the program reserve window.  
15 When "no automatic playback" is selected through  
the playback mode selection key 11c of the operation  
section 11 (NO in ST14), as shown in FIG. 3, the  
program reserve processing is ended. When "automatic  
playback" is selected through the playback mode  
20 selection key 11c of the operation section 11 (YES in  
ST14), as shown in FIG. 4, setting of the playback  
start time is requested. After that, the playback  
start time is set in correspondence with a playback  
start time received through the playback start time  
25 setting key (e.g., ten-key pad) 11d of the operation  
section 11 (ST15). Program reserve information  
generated by the above-described reserve processing is



stored in the memory 4.

Reserved recording processing will be described next with reference to FIG. 5. The CPU 7 causes the HDD 6 (recording medium) to record desired program data on the basis of the program reserve information stored in the memory 4. More specifically, when the reserved recording time comes (YES in ST21), the CPU 7 extracts, through the tuner 2, desired program data from the broadcast signal provided from the input section 1 (ST22) and causes the HDD 6 to record this program data (ST23). Simultaneously, the CPU 7 also extracts program information corresponding to the program to be recorded and causes the HDD 6 to record it (ST23).

Playback processing for a recorded program will be described next with reference to FIG. 6. When "no automatic playback" is selected as shown in FIG. 3 (NO in ST31), in correspondence with the playback start operation received through the playback start key 11e of the operation section 11 (ST32), playback based on the set playback order (user original EPG to be described later) is started under the playback control by the CPU 7. That is, the program recorder in the HDD 6 is played back on the basis of the playback order in the program reserve information stored in the memory 4 (ST34). During this playback, in correspondence with the display operation received through the EPG display

key 11f of the operation section 11 (ST35), an EPG as shown in FIG. 7 is created and displayed (ST36).

Alternatively, when "automatic playback" is selected as shown in FIG. 4 (YES in ST31), playback based on the

5 set playback order (user original EPG to be described later) is started under the playback control by the CPU 7 when the set playback start time comes (YES in ST33). That is, the program record in the HDD 6 is played back on the basis of the playback start time and playback order in the program reserve information stored in the memory 4 (ST34). During this playback, in correspondence with the display operation received through the EPG display key 11f of the operation section 11 (ST35), an EPG as shown in FIG. 7 is created and displayed (ST36).

10 The EPG shown in FIG. 7 will be described. The EPG shown in FIG. 7 is an EPG (linked program guide) that links an EPG corresponding to broadcast with a user original EPG. An EPG corresponding to broadcast is an EPG corresponding to programs which are presently being broadcast. In other words, it is an EPG created on the basis of pieces of program information which are currently being received. To the contrary, the user original EPG is created on the basis of program information recorder in ST23, playback order set in

20

25

ST13, and playback time set in ST15. When the two EPGs are displayed with a link between them, the actual

programs which are currently being broadcast can be easily compared with those edited by the user, and a desired program can be prevented from being missed. When the two EPGs are displayed with a link between  
5 them, the concept of an original broadcast station can also be realized.

A case wherein the user sets the playback order, playback start time, and the like has been described above. However, the playback order, playback start  
10 time, and the like may be automatically formed. For example, the CPU 7 for controlling reserved recording and automatic playback collects various pieces of log information for recording by the user, playback order setting by the user, playback start time setting by the  
15 user, and actual playback. The pieces of collected log information are stored in the memory 4. The CPU 7 learns the taste and habit of the user from the log information and automatically re-forms the playback order, playback start time, and the like. For example,  
20 on the basis of log information, the number of times of watching recorder programs is represented as a score in units of program genres, it is determined which program genre of recorded programs has a high frequency of watching, and the playback order is formed such that  
25 a program genre with a high frequency of watching is preferentially played back.

Automatic re-formation will be described with

reference to FIG. 8. As described above, when recording is reserved in the state wherein the pieces of log information are collected by the CPU 7 (ST41), the user is asked about an automatic re-formation request (ST42). If the user does not request automatic re-formation (NO in ST42), the flow advances to manual re-formation shown in ST13 to ST15 (ST47). If the user requests automatic re-formation (YES in ST42), the playback order of programs reserved for recording is determined on the basis of log information (ST43), and the playback start time is also determined on the basis of the log information (ST44). At this time, the program reserve window as shown in FIG. 3 or 4 is displayed. The contents of playback are confirmed on this window. If no change in setting is needed (YES in ST45), the reserve processing is ended in accordance with confirmation operation. To change the setting (NO in ST45), the flow advances to manual re-formation show in ST13 to ST15 (ST47).

By the above automatic re-formation, playback reserve in recording reserve can be partially omitted (when automatic re-formation setting is to be changed) or wholly omitted (when automatic re-formation setting is not to be changed). That is, an automatic playback environment with excellent operability for the user can be provided.

The present invention is not limited to the above

embodiments, and various changes and modifications can be made without departing from the spirit and scope of the invention. The embodiments can be appropriately combined as much as possible. In this case, combined  
5 effects are obtained. The embodiments incorporate inventions of various phases, and various inventions can be extracted by appropriately combining a plurality of disclosed constituting elements. For example, even when some constituting elements are omitted from all  
10 the constituting elements disclosed in the embodiments, the problem described in the section "problem to be solved by the invention" can be solved. When the effect described in the section "effect of the invention" is obtained, the arrangement without these  
15 constituting elements can be extracted as an invention.

According to the present invention, a playback apparatus and method capable of timely playing back a recorded program can be provided.

Additional advantages and modifications will  
20 readily occur to those skilled in the art. Therefore, the invention in its broader aspects is not limited to the specific details and representative embodiments shown and described herein. Accordingly, various modifications may be made without departing from the  
25 spirit or scope of the general inventive concept as defined by the appended claims and their equivalents.